

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16469	((358/1.1) or (358/3.23) or (358/3.28) or (358/1.18) or (358/505) or (358/539) or (358/400) or (358/448) or (358/474) or (358/498) or (726/1-7) or (726/17-19) or (726/21) or (726/30) or (726/30) or (380/202) or (380/229) or (380/243) or (380/37) or (380/28-30) or (709/223) or (709/225) or (709/229) or (711/163) or (711/205-207)). CCLS.	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L2	35338	(profil\$3 user\$2 client\$3 role\$1 privilege\$1 privileged\$1) near3 (director\$3 table database\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L3	2693	L1 and L2	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L4	2213	(fax\$3 facsimile\$1 scan\$3 print\$3) near3 (encrypt\$3 encod\$3 encipher\$8 cipher\$7 crypto\$8) near3 (document\$ file\$1 data\$1 message\$1 datagram\$1 package\$1 packet\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L5	192	L2 and L4	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L6	96	L5 and director\$3	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L7	33	L3 and L4	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L8	47	L6 and profile\$1	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54
L9	47	L8 and address\$3	USPAT; IBM_TDB	OR	OFF	2006/10/26 07:54

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	701	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L2	32096	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L3	56224	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L4	716	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L5	32093	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L6	5630	L3 and L5	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L7	115	L4 and L6	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L8	716	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L9	701	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L10	716	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L11	701	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L12	66097	(object\$1 user\$1) near3 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01

EAST Search History

L13	56224	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L14	23355	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (lan (local\$2 near2 resource\$1) (local\$2 near2 resource\$1) remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L15	195	L1 and L12 and L13	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L16	107	L14 and L15	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L17	716	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L18	32093	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L19	26502	(remote\$2 outside\$1) near2 (access\$3 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L20	61974	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 employee\$1 (user\$2 near2 information\$1) (user\$2 near2 data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L21	52	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L10	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L22	135064	(remote\$2 outside\$1) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L23	5630	L13 and L18	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L24	115	L10 and L23	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01

EAST Search History

L25	32096	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L26	5632	L13 and L25	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L27	1032	(universal\$2 global\$1) near5 (unique\$2 near2 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L28	140	L26 and L27	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L29	17489	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/100) or (707/103x) or (707/200) or (705/58)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L30	5501	L29 and (unique\$2 near3 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L31	214	L29 and L10	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L32	110	L31 and L20	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L33	67858	(remote\$2 outside\$1 across distribute\$3 multiple\$1 another) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4) near4 (network\$1 system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L34	62	L33 near4 (unique\$2 near3 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L35	766433	(local lan within in) near4 (system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:02
L36	764957	(local within in) near4 (system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:02
L37	1326	L36 near4 (unique\$2 near3 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01

EAST Search History

L38	304	L33 near4 (unique\$2)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L39	81	L22 and L28	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L40	77	L32 not L39	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L41	18	L20 and L21	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L42	73	L40 not L41	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L43	2933	unique\$2 near3 (userid user-id ((user\$1 employee\$1 student\$1) near2 (id identif\$4 identit\$3 identification\$1)))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L44	937	L43 and L33	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L45	112	L36 with L43	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L46	43	L44 and L45	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L47	12	L43 with L33	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L48	269713	(local user\$1 personal\$1 client\$1) near4 (system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L49	590	L43 with L48	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L50	299204	(remote\$2 outside\$1 across distribute\$3 multiple\$1 another) near4 (network\$1 system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L51	53	L43 with L50	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L52	31	L49 and L51	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L53	701	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L54	66097	(object\$1 user\$1) near3 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L55	56224	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01

EAST Search History

L56	23355	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (lan (local\$2 near2 resource\$1) (local\$2 near2 resource\$1) remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L57	195	L53 and L54 and L3	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L58	107	L56 and L57	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L59	716	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L60	32093	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L61	26502	(remote\$2 outside\$1) near2 (access\$3 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L62	61974	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 employee\$1 (user\$2 near2 information\$1) (user\$2 near2 data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L63	52	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L4	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L64	135064	(remote\$2 outside\$1) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L65	5630	L3 and L5	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L66	115	L4 and L6	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L67	32096	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01

EAST Search History

L75	19887	(profile\$1 file\$1) near7 (address\$3 destination\$1 ip)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L76	228	L75 near7 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L77	4130	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L78	156	(profile\$1 file\$1) near5 (address\$3 destination\$1 ip) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L79	84018	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L80	115	L79 and L78	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L81	65	L80 and L77	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L82	62	L81 and (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L83	37613	(profile\$1 file\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L84	14650	(profile\$1 file\$1) near5 (address\$3 ip (destination\$1 near3 field\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L85	6110	(profile\$1 file\$1) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L86	1046	L84 and L85	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L87	735	L83 and L86	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L88	26432	scan\$4 near3 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L89	29	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near4 (L88)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L90	7	L79 and L89	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L91	6	L90 and (address\$3 destination\$1 ip)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L92	108	(profile\$1 file\$1) near5 (address\$3 ip (destination\$1 near3 field\$1)) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01

EAST Search History

L93	95	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3) with (address\$3 destination\$1 ip) with (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L94	34	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 L88	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L95	29	L94 and L89	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L96	41	L93 and (scan\$4 fax\$3 facsimile\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L97	1374	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) and L88	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L98	51537	(fax\$3 facsimile\$1 scan\$4) near9 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L99	108	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near7 L98	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L101	112854	(profile\$1 file\$1 record\$1) with (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L102	62609	(profile\$1 file\$1 record\$1) near3 (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L103	53243	(profile\$1 file\$1 record\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L104	11799	L98 and L101	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L105	24502	(profile\$1 file\$1 record\$1) near7 (address\$3)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01
L106	6756	(profile\$1 file\$1) near6 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/26 08:01